


#ReopeningSafely Guidelines

Religious Activities, Weddings, and Funerals

1 April 2022





Living and working safely with COVID-19

Malaysia is in the 'Transition to Endemic' phase and we must learn to live with COVID-19 in line with the reopening of economic sectors. Therefore, it is important to understand the risk of COVID-19 transmission, practice preventive measures, and remain vigilant as we carry out our daily activities to ensure the safety of ourselves and our families.

This Guideline is categorised into 2 sections as follows:



Section 1: Guidance to identify COVID-19 risks and illustrate ways to assess risks on premises and at workplaces.



Section 2: Infographics to help us make safer choices while carrying out daily activities or at workplaces.

Scope of Guideline



This Guideline can be used while carrying out all religious activities in mosque/ *surau* or other places of worship including prayers, ceremonies or religious classes. It can also be used for marriage activities (example: solemnisation of marriage, civil registration and wedding ceremonies) and funeral activities¹ (example: funeral arrangements, last respects, burials, cremation, grave visits and scattering of ashes of the deceased).

Table of Contents:

Sect.	Contents	Page
I.	Assessing COVID-19 Risks to Make Safer Choices	2
II.	Guidelines	
	1. COVID-19 Symptoms	5
	2. Entry Check and Registration	6
	3. Face Mask	7
	4. Physical Distancing	10
	5. Ventilation	11
	6. Cleanliness	12
	 Management of Symptomatic Individuals, Confirmed COVID-19 Cases and Close Contacts 	15
	8. Vaccination	19
	9. Crowd Control	20
	10.Congrational Etiquette	21

Note: This Guideline is encouraged to be complied with and is used to illustrate requirements in the Standard Operating Procedure (SOP). SOP is prioritised if there are any contradictions. ¹This document should be read together with *Garis Panduan Tatacara Pengurusan Jenazah Bagi Pesakit Beragama Islam dan Bukan Islam* by MOH or JAKIM.



Assessing COVID-19 Risks to Make Safer Choices

We need to be proactive in identifying and managing COVID-19 transmission risks in our daily activities. These are the 4 key factors to consider in making safer choices.



4 Key Factors to Consider in Making Safer Choices

1. Location

Well ventilated areas such as outdoor are safer than enclosed spaces such as indoor




Maintaining physical distancing between individuals is safer than crowding

3. Duration

Interacting for a shorter duration is safer than interacting for a longer duration

4. Masking

Wearing a face mask is safer than being mask-off





Religious and cultural activities such as weddings and funerals are important to Malaysians. However, risks are elevated when gatherings are held indoors and interactions are done without physical distancing for a prolonged duration.

Certain mask-off activities such as taking part in ablution (*wudhu'*) and holy communion have high risk of transmission because the virus can spread through respiratory droplets while talking, singing, etc. Actions are required to ensure good ventilation and minimise interactions between individuals from different households.

Source: Department of Occupational Safety And Health (DOSH), World Health Organization (WHO)

Mask-off

Mask-on



Assessing COVID-19 Risks to Make Safer Choices

When planning our daily activities, the following questions should be taken into consideration as part of the risk assessment.

1. What are the type of risks?

Assess the risk of transmission based on the following factors





Location:

Poorly ventilated enclosed spaces



Duration:

Prolonged



Distancing:

No physical distancing/ crowded



Face mask:

Mask-off

2. What are the actions to mitigate the risk?

Identify the relevant actions to mitigate risk





Ensure physical distancing of at least 1 metre where possible



Maintain cleanliness of the premises



Wear a face mask, especially if physical distancing is not feasible



Wear Personal
Protective Equipment
(PPE)



Ensure good ventilation



Practice proper etiquette while coughing and sneezing



Regularly wash your hands with water and soap/ hand sanitiser



Test if symptomatic



Avoid crowded areas



Avoid narrow and enclosed spaces



Avoid shaking hands or physical contact



Avoid close conversations



Do not attend/ participate in activities if symptomatic

Source: MOH, WHO



Assessing COVID-19 Risks to Make Safer Choices

Examples of risks and actions to reduce the risks are illustrated as below:



Indoor religious activities, wedding receptions

(Examples: places of worship, private residences, halls)

What are the type of risks?



Poorly ventilated enclosed spaces



Prolonged gatherings



Mask-off activities



Close proximity among congregants/ believers and visitors

What are the actions to mitigate the risk?



Ensure physical distancing of at least 1 metre where possible



Ensure good ventilation



Wear face mask at all times, except for activities that require it to be removed



Practice proper etiquette while coughing and sneezing



Maintain cleanliness of the premises



Regularly wash your hands with water and soap/ hand sanitiser



Avoid shaking hands or physical contact



Avoid close conversations

Note: Compliance with SOP is important as a mandatory action to reduce the risk of COVID-19 transmission



1. COVID-19 Symptoms

We must recognise COVID-19 symptoms and be responsible when we are feeling unwell to ensure that the 'Transition to Endemic' phase is successful.

COVID-19 Symptoms



Fever



Fatigue



Breathing difficulty



Body/ muscle ache



Headache



Runny nose



Cough/ sore throat



Vomiting/ diarrhoea



Loss of sense of taste or smell

'TRIIS' Self Assessment Method



Test

Get tested with a self-test kit as soon as possible if you are experiencing any infection symptoms.



Report

Report the test result (negative, positive or invalid) on your MySejahtera immediately.



Isolate

Isolate yourself immediately with discipline if you have been tested positive for COVID-19. Adhere to the HSO¹ imposed by MOH.



Inform

Inform your close contacts and immediate family members urgently if your test result is positive. List out your close contacts information and assess health through HAT² on MySejahtera. Virtual CAC³ will monitor your health status and contact you if necessary.



Seek

Seek immediate treatment at any healthcare facility nearby if you are experiencing worsening symptoms⁴.

Note: ¹Home Surveillance Order; ²Health Assessment Tool; ³COVID-19 Assessment Centre; ⁴Refer to the list of COVID-19 patient condition warning signs at https://covid-19.moh.gov.my/reopeningsafely/semasa/2022/03/fasa-peralihan-ke-endemik-langkah-6b-kenali-tanda-amaran-covid-19



2. Entry Check and Registration

Individuals must use MySejahtera application to scan the QR code and only Individuals with 'Low Risk' MySejahtera status are allowed to enter premises or participate in activities^{1,2}. MySejahtera users are also encouraged to activate the MySJ Trace feature.

What is MySJ Trace?

MySJ Trace is one the functions of mobile contract tracing.



- Helps **FTTIS** (*Find, Trace, Test, Isolate & Support*) in preventing transmission of COVID-19.
- Detects close contacts using bluetooth technology.
- Uses a **community driven** approach where the users' mobile phones will exchange information when they are within a certain distance.

Steps to activate MySJ Trace

Examples of recommended places to activate MySJ Trace:









Public places

Public transport

Restaurant

Shopping malls




Ensure the **bluetooth** feature on your mobile phone is turned on at all times.



Open MySejahtera app



Press 'Agree' button




MySJ Trace feature will be displayed



Provide necessary permissions for MySJ Trace



Press 'Start' button



When activated, the MySJ Trace feature will turn green

Note: ¹Entry check and registration is exempted for areas that fulfil the three (3) criteria: outdoor areas, areas without crowds and mass gathering (e.g., recreational areas); ²MySejahtera QR Code are placed at the main entrance of premises such as mosque, *surau*, other houses of worship. Halls, offices and kiosks that are located within these premises do not need to provide MySejahtera QR code.




3A. Use of Face Masks

Face masks protect us from getting infected by the COVID-19 virus, as it can be transmitted through respiratory droplets while talking, sneezing or coughing.


Examples of Face Mask and Its Protection Level

Protection levels of face masks vary by mask types as shown below:




The Benefits of Double-Masking and How to do it Properly

Double-masking (surgical + non-surgical face mask) provides better protection from infectious droplets.



How to Properly Wear a Face Mask in 3 Easy Steps



to tighten against

nose bridge

Source: MOH, Centre for Disease Control and Prevention (CDC)

headloop strings



3B. Mask-off Activities

Carrying out activities without wearing a mask increases the transmission risk of COVID-19 virus. The risk of infection becomes higher when the activities are carried out with people from different households in close proximity.

Examples of Mask-off Activities



Eating and Drinking




Water-based activities (Examples: ablutions, baptism)



Performances (Examples: choir, religious chants, *azan*)

3 Key Risk Factors to Consider Before Removing Your Mask

Below are the factors to consider in situations where wearing a face mask is not possible or suitable while carrying out activities. Face mask should be re-worn immediately after these activities.



Consider these factors and make appropriate decisions before removing your face mask to protect yourself and others.

Source: CDC



3C. Face Mask for Children and Individuals with Special Needs

The purpose of wearing face masks is to protect ourselves and others. However, additional considerations should be given to the following groups:



Children ≤5 years old

Wearing face mask is exempted considering the child's safety, developmental needs and inability to wear a face mask without assistance.



Children ≥6 years old

Wearing face masks is required based on their ability to safely and appropriately wear a mask.



Individuals with specific special needs

Wearing face mask is exempted for Individuals with specific special needs (e.g., individuals with Cerebral Palsy or Autism) or individuals with health conditions involving breathing difficulties (a certified medical report from a registered medical practitioner is required).

Source: WHO



4. Physical Distancing

Adherence to physical distancing can protect us from being infected with the COVID-19 virus that is transmitted through respiratory droplets while talking, sneezing or coughing.



Practice physical distancing of at least 1 metre where possible for all activities except during prayers.



Physical distancing exemption during prayers in mosques/ surau and other places of worship is allowed while maintaining the wearing of face masks



Limit face-to-face social interactions with individuals from different households.

Avoid physical greetings such as handshake. Instead, greet by placing your hands on your chest.



Individuals who are **symptomatic or COVID-19 positive or under (HSO)** are not allowed to enter the premises or participate in activities.

Source: MOH, CDC, WHO



5. Ventilation

COVID-19 virus is more contagious indoor than outdoor. Hence, good ventilation is important to reduce risk of transmission.

Enclosed Air-conditioned Spaces



Check and ensure ventilation systems are in good working order



Set the air conditioning mode to 'fresh air' and avoid recirculation



Purge indoor air before starting operations by turning on AC and fan



Increase air circulation by placing fans facing outwards at doors or windows



Ensure that the exhaust fans are running throughout operating hours

Naturally Ventilated Premises



Open doors and windows as frequently as possible



Increase air circulation by placing fans facing outwards at doors or windows



Ensure that the exhaust fans are running throughout operating hours

Supplementary Measures to Assess and Improve Air Quality (Examples: air filter, CO₂ monitor)



Install air filter

 Install high-efficiency air filters to filter out airborne viruses and dust in the air



Monitor Carbon Dioxide (CO₂) levels

- CO₂ levels can be monitored by using an Indoor Air Quality (IAQ) device
- CO₂ reading which exceeds 1,000ppm indicate the space is poorly ventilated

Source: MOH, DOSH, CDC, WHO



6A. Personal Hygiene

Practising personal hygiene is important to remove viruses and infectious droplets on our hands in order to reduce the risk of transmission.

Personal Hygiene

Encouraged





Congregations should perform ablution at home and should only perform ablution at mosque/ surau if necessary



Replace with a new face mask after coughing or sneezing while wearing a face mask



Avoid touching your eyes, nose and mouth with unwashed hands

Avoid



Wearing gloves is generally not required in most situations. If worn. wash your hands immediately after disposing your gloves



Avoid wearing the same face mask for a long period of time especially if you have coughed or sneezed into it

How to Practise Proper Hand Hygiene?

Timing

When?

- ✓ Before eating or preparing food
- ✓ Before touching your face
- ✓ After using the restroom
- ✓ After leaving a public place
- ✓ After coughing or sneezing
- ✓ After touching a used or contaminated face mask
- ✓ After handling any shared equipment or frequently touched surfaces
- ✓ Before and after wearing gloves

How long?



Regularly wash hands with soap and water for more than 20 seconds





If soap and water are not available. use hand sanitiser for 20-30 seconds



Technique





Wet hands with water and apply soap





Rub fingernails against palms





Rub hands palm to palm

with soap

Rub the backs of hands





Rub every finger and the gaps in between





Rinse with clean water

Source: MOH, CDC, WHO



6B. Cleaning and Disinfection

Common areas and shared equipment may be contaminated with infectious respiratory droplets. Therefore, regular cleaning can reduce the risk of COVID-19 transmission. Disinfection is only required when there are positive cases occurring on the premises.

Cleaning and Disinfecting



Cleaning



Disinfecting

What is the difference?



Removes dirt and impurities from surfaces or objects



Kills viruses and germs on surfaces or objects

Where is it required?



Public areas such as dining areas, lobbies, prayer rooms, ablution rooms and others



Frequently touched surfaces and shared equipment such as tables, chairs, door handles and others

What are used?



Mixture of soap or detergent with water



Liquid bleach or disinfectant with 70% alcohol

How often should I do it?



Periodically – at least once a day



After being exposed to a positive case. Clean surfaces first before disinfecting to increase effectiveness

Steps to Clean and Disinfect Frequently Touched Surfaces



Wear personal protective equipment to protect yourself from harmful or irritable chemicals



Clean frequently touched surfaces using soap and water



Wipe surfaces with liquid bleach or disinfectant where suitable



Carefully remove and dispose used personal protective equipment



Wash hands with soap and water for at least 20 seconds

Source: MOH, CDC



6C. Cleanliness of Workers' Accommodation

Poor management of workers' accommodation can lead to COVID-19 transmission if face masks and physical distancing are not complied. Employers must comply with the minimum standards stated by the Minimum Standards of Housing, Accommodation and Employee Facilities Act 1990 [Act 446] in addition to the actions stated below:

Additional Measures to Stay Safe during COVID-19





- ✓ Frequent cleaning in communal areas and high-touch surfaces after breaks.
- Provide and regularly empty rubbish bins with cover/ lid.
- ✓ Provide hand washing facilities with soap and water or hand sanitiser.
- ✓ Disinfect common touch surfaces at workers' accommodation using liquid bleach or disinfectant containing at least 70% alcohol if positive case is detected.





- ✓ Workers are to remain within the accommodation compound and are encouraged to stay in their respective rooms.
- Provide direct transportation between workers' accommodation and workplace.
- Staggered breaks for each group of workers to reduce crowding in resting areas.





✓ Perform self-test if employee is symptomatic and upload test results on MySejahtera application.

If negative:

 Employees can return to work by wearing a surgical mask (3-ply) and maintaining physical distancing.

If positive:

- Employees must isolate in the designated isolating room and perform daily health assessment through the Health Assessment Tool (HAT) in MySejahtera application.
- ✓ Management to immediately trace close contacts of positive patients.

Minimum Requirements for Housing Standards under Act 446



Area per worker

- 3m² (dormitory)
- 3.6m² (other than dormitory)



Toilets per worker

- 1:15 (dormitory)
- 1:6 (other than dormitory)



Basic amenities

- Single bed
- 4 inch mattress
- Pillow, blanket
- Locked cupboard



Shared facilities


- Living room, dining room
- Kitchen
- · Lights, fan
- Bin

Source: Department of Labour Peninsular Malaysia (JTKSM), Construction Industry Development Board (CIDB), Act 446



7A. Management of Symptomatic Individuals, Confirmed COVID-19 Cases and Close Contact

Flowchart for Party Responsible for the Premises in the event of Symptomatic Employees^{1,2}




Note: ¹Symptomatic individuals are not allowed enter premise or participating in any activities; ² All parties involved in the handling of employees with COVID-19 symptoms must comply with established procedures and wear personal protective equipment (e.g., face masks, face shield, surgical gown, and gloves); ³Refer to MOH Guideline (Annex 25 and Annex 36) at https://covid-19.moh.gov.my/garis-panduan/garis-panduan-kkm.

Source: MOH, DOSH




7B. Management of Symptomatic Individuals, Confirmed COVID-19 Cases and Close Contact



Note: This flowchart will be updated periodically based on MOH's evaluation; ²Health Assessment Tool; ³For the list of COVID-19 patient categories, refer to MOH guideline, Annex 2e at https://covid-19.moh.gov.my/garis-panduan/garis-panduan-kkm; ⁴Refer to COVID-19 Health Protocol Portal at https://covidprotocol.moh.gov.my/; ⁵COVID-19 Assessment Centre; ⁶Employers should cover the cost of isolation and treatment.



7C. Management of Symptomatic Individuals, Confirmed COVID-19 Cases and Close Contact



Note: This flowchart will be updated periodically based on MOH's evaluation; ¹Refer MOH COVID-19 Health Protocol Portal at https://covidprotocol.moh.gov.my/; ²Release Order.



7D. Management of Symptomatic Individuals, Confirmed COVID-19 Cases and Close Contact

Quarantine Guidelines

As a positive case/ close contact



Do not leave your home during the quarantine period set by MOH



Do not share a room with family members



Self-monitor daily for symptoms and report through MySejahtera app



Wear a face mask and maintain physical distancing of at least 1 metre if interacting with family members

As a family member of the same household



Wear gloves when handling the utensils used by the patient



Place food and drinks outside the room for patient to pick up themselves



Wear a face mask when interacting with the patient



Wash your hands regularly with soap and water or use hand sanitiser

What should you do if the house/ place of residence is not suitable to safely isolate or quarantine?

Isolate or quarantine at any accommodation such as hotels and homestays to ensure that the isolation/ quarantine requirements can be implemented properly. All costs will have to be self-borne.



8. Vaccination

Vaccination is effective to protect ourselves and reduce the transmission of COVID-19. Booster doses are also needed to obtain the most optimal level of protection against the virus and to protect society as a whole.

COVID-19 Vaccination Guide								
Definition of Fully Vaccinated ^{1,2}								
TYPE OF	COMPLETE PRIMARY DOSE	INDIVIDUALS		TRAVELLERS ³				
VACCINE		FULLY VACCINATED		FULLY VACCINATED				
		18-59 YEARS	≥ 60 YEARS	18-59 YEARS	≥ 60 YEARS			
Sinovac, Sinopharm	2 doses	3 doses	3 doses	3 doses	3 doses			
Pfizer, Moderna, AstraZeneca,	2 doses	2 doses	3 doses	2 doses	3 doses			
CanSino, Johnson & Johnson	1 dose	1 dose	2 doses	1 dose	2 doses			



Recipients of Sinovac and Sinopharm vaccines as well as individuals aged 60 years and above who have not received their booster dose are allowed to perform activities that are permitted for individuals who are fully vaccinated.



Proof of fully vaccinated status such as card or digital certificate is required to participate in activities with vaccination requirements.



Individuals who are not eligible for vaccination (due to health reasons and has been verified by registered medical practitioners) must refer to the latest applicable guidelines.

Note: ¹Definition of fully vaccinated for vaccines above are subject to MOH's current recommendations. For other vaccines that are recognized by WHO's Emergency Use Listing (EUL), definition of fully vaccinated is subject to the recognition of WHO, International Authorities and producing countries (lists of types and brands of vaccines will be updated from time to time); ²The effective vaccination status period after the last injection is 14 days for primary dose injection, and for booster dose injections is immediate after the booster dose injection was received; ³Travellers from abroad.

Source: MOH, COVID-19 Immunisation Task Force (CITF)



9. Crowd Control

The risk of COVID-19 transmission is higher in places which are crowded, poorly ventilated, and interactions in close proximity or prolonged duration.

Methods for Crowd Control at Premises



Avoid congestion by maximising or opening all entrances and exits. Provide the MySejahtera QR Code at main entry points¹



Ensure that each individual scans the MySejahtera¹ QR Code, including outdoor religious activities, weddings and funerals



Arrange seating space to allow for physical distancing



Place physical distancing guides on premises



Individual who are symptomatic or COVID-19 positive or under HSO order are not allowed to attend or participate in any activities

Note: ¹Only need to scan at the main door/ entrance of premises. Offices/ halls/ rooms/ entrance areas used for religious events/ weddings/ funerals after main entrances do not require a MySejahtera QR code.

Source: Department of Islamic Development Malaysia (JAKIM), Ministry of National Unity (KPN)



10. Congregational Etiquette

All religious congregations must practice proper congregational etiquette when conducting activities in mosques/ *surau*/ houses of worship other than Islam.

Congregational Etiquette in Mosques/ Suraul Houses Of Worship Other Than Islam



Enter and leave mosques/ surau/ houses of worship other than Islam (RISI) in an orderly manner and maintain physical distancing



Congregants are encouraged to bring their respective prayer rugs and *telekung* (for women congregants)



Congregants must perform wudhu' at home, but are allowed to renew it at the mosque/ surau



Ensure face masks are worn when carrying out activities at the mosque/ surau/ RISI, including when in the courtyard of the mosque/ surau/ RISI



Avoid shaking hands, touching or huging each other



Congregants/ worshipers should disperse in an orderly manner without crowding after religious activities

Source: JAKIM, KPN

This Guideline is prepared by the Majlis Keselamatan Negara (MKN) and Ministry of Health Malaysia (MOH) with the full cooperation from the Ministries and agencies listed below as well as various industry and health experts.

CONTACT US

Majlis Keselamatan Negara

webmaster@mkn.gov.my | 03-8888 2010 | www.mkn.gov.my

Ministry of Health

cprc@moh.gov.my | 03-7723 9300 | www.moh.gov.my

Ministry of National Unity

pro@perpaduan.gov.my | 03-8091 8000 | www.perpaduan.gov.my

Department of Islamic Development Malaysia

ukkjakim@islam.gov.my | 03-8870 7000 | www.islam.gov.my

For more information please visit:

MKN Portal: https://www.mkn.gov.my/

MySOP Portal: https://www.mysop.gov.my/

MOH COVID-19 Health Protocol Portal: https://covidprotocol.moh.gov.my/

#ReopeningSafely